

2015



CATALOGO - LISTINO




AGRI





INDICE CATALOGO AGRICOLI INDUSTRIALI

AGRIA - Motori	pag.	1
ARGOS - Motori	pag.	1
AS-MOTOR - Motori	pag.	3
BETA-INTERMOT. - Motori	pag.	3
CAMPEON - Motori	pag.	5
C.M. - Motori	pag.	6
DUCATI - Motori	pag.	7
HIRTH - Motori	pag.	8
HONDA	pag.	9
ILO - Motori	pag.	9
MINARELLI - Motori	pag.	12
MINSEL - Motori	pag.	13
MORINI - Motori	pag.	14
MOSA - Motori	pag.	15
ROTAX Motori	pag.	15
SACHS STA.MO. - Motori	pag.	17
SOLO - Motori	pag.	19
VOLPI & BOTTOLI - Motori	pag.	19
ZANETTI - Motori	pag.	20

Codice Code	Modello Model	agria MotorGartenGeräte	Diametro Diameter m.m.	Compress + Bom. Testa Head Height	Lung. Lenght Tot.	Spinotto - Pin Diam. x Lung/Lenght	Block Spin. Pin	Segm. Rings N° Q.ty	Altezza Segm. Rings Height	Block Grano Notch Rings	Prezzo netto completo , IVA esclusa Net Price
G0501	AGRIA 2000 NSU		50,00	27,0 B-4,0	62,00	15 x 39,0	S	2	2,00	GN	€ 36,95
 			49,95 A 49,96 B 49,97 C 49,98 D				MOTORE AGRICOLO / ENGINE Made in Germany Motore a 2 Tempi / 2 Strokes Engine 97cc - Mix 4% Cilindro Alluminio Cromo / Aluminium Chrome Cylinder Raffreddamento ad Aria Forzata / Forced Aircooled				
G0502	AGRIA 6000 NSU		58,00	27,0 B-4,0	62,00	15 x 48,5	S	2	2,00	GN	€ 43,02
 			57,95 A 57,96 B 57,97 C 57,98 D 57,99 E 58,00 F				MOTORE AGRICOLO / ENGINE Made in Germany Motore a 2 Tempi / 2 Strokes Engine 137cc - Mix 4% Cilindro Alluminio Cromo / Aluminium Chrome Cylinder Raffreddamento ad Aria Forzata / Forced Aircooled				
G0791	ARGOS-CAMPEON H65	MOTORES Campeon	44,00	23,0 B-3,5	50,5	12 x 35,0	A	2	1,50	GN	€ 36,02
 		Agrimondo 43,95 A 43,96 B 43,97 C CAMPEON Cil.Ghisa C.Iron Cyl. 44,50 45,00				MOTORE AGRICOLO / ENGINE Made in Espana Motore CAMPEON a 2 Tempi / 2 Strokes Engine 65cc - Mix 4% Cilindro in Ghisa / C.Iron Cylinder - Raffreddamento ad Aria forzata / Forced Aircooled Adattabile / Suitable AGRIMONDO Turbine Cil.Alluminio Cromo / Aluminium Chrome Cylinder Raffreddamento ad Aria Forzata / Forced Aircooled					
G0792	ARGOS-MINSEL M100	MOTORES MINSEL	50,00	35,0 B-5,0	61,0	14 x 42,0	A	2	2,50	GN	€ 38,00
 		50,40 50,50 50,60 50,80 51,00 51,20 51,40 51,60 51,80 52,00				MOTORE AGRICOLO / ENGINE Made in Espana Motore MINSEL a 2 Tempi / 2 Strokes Engine 98cc - Mix 5% 5HP Cilindro in Ghisa / C. Iron Cylinder Raffreddamento ad Aria forzata / Forced Aircooled					

Codice Code	Modello Model	MOTORES Campeon	Diametro Diameter m.m.	Compress + Bom. Testa Head Height	Lung. Lenght Tot.	Spinotto - Pin Diam. x Lung/Lenght	Block Spin. Pin	Segm. Rings N° Q.ty	Altezza Segm. Rings Height	Block Grano Notch Rings	Prezzo netto completo , IVA esclusa Net Price
G0793	ARGOS-CAMPEON H100		52,00	33,0 B-4,0	59,5	14 x 42,0	A	2	2,00	GN	€ 38,50
 			52,40				Pistone MOTORE AGRICOLO / ENGINE Made in Espana Motore CAMPEON a 2 Tempi / 2 Strokes Engine 99cc - Mix 4% Cilindro in Ghisa / C. Iron Cylinder Raffreddamento ad Aria forzata / Forced Aircooled				
			52,60								
			52,80								
			53,00								
			53,20								
			53,40								
			53,60								
G0783	ARGOS-MINSEL M150		59,00	39,0 B-5,0	69,0	14 x 51,0	A	2	2,00	GN	€ 38,90
 			59,40				Pistone MOTORE AGRICOLO / ENGINE Made in Espana Motore MINSEL a 2 Tempi / 2 Strokes Engine 148cc - Mix 5% 7HP Cilindro in Ghisa / C. Iron Cylinder Raffreddamento ad Aria forzata / Forced Aircooled				
			59,60								
			59,80								
			60,00								
			60,40								
			60,50								
G0783B	ARGOS-MINSEL M165		61,00	39,0 B-5,0	69,0	14 x 51,0	A	2	2,00	GN	€ 42,00
 			61,40				Pistone MOTORE AGRICOLO / ENGINE Made in Espana Motore MINSEL a 2 Tempi / 2 Strokes Engine 158cc - Mix 5% 8HP Cilindro in Ghisa / C. Iron Cylinder Raffreddamento ad Aria Forzata / Forced Aircooled				
			61,60								
			61,80								
			62,00								
			62,40								
			62,40								
G0794	ARGOS-CAMPEON H165 HIRTH		62,00	35,0 B-5,0	70,0	16 x 52,0	S	2	2,50	GN	€ 45,99
 			62,40				Pistone MOTORE AGRICOLO / ENGINE Made in Germany-Espana Motore CAMPEON - HIRTH a 2 Tempi / 2 Strokes Engine 159cc - Mix 5% 10HP Cilindro in Ghisa / C. Iron Cylinder Raffreddamento ad Aria Forzata / Forced Aircooled				
			62,50								
			62,80								
			63,00								
			63,50								
			64,00								

Codice Code	Modello Model	AS MOTOR	Diametro Diameter m.m.	Compress + Bom. Testa Head Height	Lung. Lenght Tot.	Spinotto - Pin Diam. x Lung/Lenght	Block Spin. Pin	Segm. Rings N° Q.ty	Altezza Segm. Rings Height	Block Grano Notch Rings	Prezzo netto completo , IVA esclusa Net Price
G0911	AS MOTOR		60,00	33,0 B-6,0	70,0	15 x 52,0	S	2	2,00	GN	€ 72,95
 		59,95 A				MOTORE AGRICOLO / ENGINE Made in Germany Motore a 2 Tempi / 2 Strokes Engine 148cc - Mix 5% 7HP Cilindro in Ghisa e Alluminio Cromo / C.Iron and Aluminium Chrome Cylinders Raffreddamento ad Aria Forzata / Forced Aircooled					
		59,96 B									
		59,97 C									
		Cil.Ghisa									
		C.Iron Cyl.									
		60,50									
		61,00									

Codice Code	Modello Model	BETA MOTORI	Diametro Diameter m.m.	Compress + Bom. Testa Head Height	Lung. Lenght Tot.	Spinotto - Pin Diam. x Lung/Lenght	Block Spin. Pin	Segm. Rings N° Q.ty	Altezza Segm. Rings Height	Block Grano Notch Rings	Prezzo netto completo , IVA esclusa Net Price
G0737	BETA INTERMOTOR B 51 - CM		40,00	18,5 B-2,0	43,0	10 x 33,0	A	2	1,50	GN	€ 30,95
 		40,40				MOTORE AGRICOLO / ENGINE Made in Italy Motore a 2 Tempi / 2 Strokes Engine - Mix 5% Adattabile / Suitable CM 46 Cilindro in Ghisa / C. Iron Cylinder - Raffreddamento ad Aria Forzata / Forced Aircooled					
		40,60									
		40,80									
		41,00									
		41,20									
		41,40									

Codice Code	Modello Model	BETA MOTORI	Diametro Diameter m.m.	Compress + Bom. Testa Head Height	Lung. Lenght Tot.	Spinotto - Pin Diam. x Lung/Lenght	Block Spin. Pin	Segm. Rings N° Q.ty	Altezza Segm. Rings Height	Block Grano Notch Rings	Prezzo netto completo , IVA esclusa Net Price
G0753	BETA INTERMOTOR B 90		48,00	32,0 B-3,0	53,0	14 x 38,0	A	2	2,00	GN	€ 36,02
 		48,40				MOTORE AGRICOLO / ENGINE Made in Italy Motore a 2 Tempi / 2 Strokes Engine - Mix 5% Cilindro in Ghisa / C. Iron Cylinder Raffreddamento ad Aria Forzata / Forced Aircooled					
		48,60									
		48,80									
		49,00									
		49,40									
		49,60									
		49,80									
		50,00									

Codice Code	Modello Model	BETA MOTORI	Diametro Diameter m.m.	Compress + Bom. Testa Head Height	Lung. Lenght Tot.	Spinotto - Pin Diam. x Lung/Lenght	Block Spin. Pin	Segm. Rings N° Q.ty	Altezza Segm. Rings Height	Block Grano Notch Rings	Prezzo netto completo , IVA esclusa Net Price
G0754	BETA INTERMOTOR B 110		54,00	32,0 B-4,0	60,0	14 x 45,0	A	2	2,50	GN	€ 37,40
 		54,40				MOTORE AGRICOLO / ENGINE Made in Italy Motore a 2 Tempi / 2 Strokes Engine - Mix 5% Cilindro in Ghisa / C. Iron Cylinder Raffreddamento ad Aria Forzata / Forced Aircooled					
		54,60									
		54,80									
		55,00									
		55,20									
		55,40									
		55,60									
		55,80									
		56,00									

Codice Code	Modello Model	BETA MOTORI	Diametro Diameter m.m.	Compress + Bom. Testa Head Height	Lung. Lenght Tot.	Spinotto - Pin Diam x Lung/Lenght	Block Spin. Pin	Segm. Rings N° Q.ty	Altezza Segm. Rings Height	Block Grano Notch Rings	Prezzo netto completo , IVA esclusa Net Price
G0755	BETA INTERMOTOR B 140		58,00	32,0 B-5,0	64,0	14 x 48,0	A	2	2,50	GN	€ 41,55
 			58,40	 Pistone							
			58,60								
			58,80								
			59,00								
			59,40								
			59,60								
			59,80								
			60,00								
			60,20								
			60,40								
MOTORE AGRICOLO / ENGINE Made in Italy Motore a 2 Tempi / 2 Strokes Engine - Mix 5% Cilindro in Ghisa / C. Iron Cylinder Raffreddamento ad Aria Forzata / Forced Aircooled											

Codice Code	Modello Model	BETA MOTORI	Diametro Diameter m.m.	Compress + Bom. Testa Head Height	Lung. Lenght Tot.	Spinotto - Pin Diam. x Lung/Lenght	Block Spin. Pin	Segm. Rings N° Q.ty	Altezza Segm. Rings Height	Block Grano Notch Rings	Prezzo netto completo , IVA esclusa Net Price
G0510	BETA INTERMOTOR B155-B160		58,00	40,0 B-4,0	70,0	16 x 50,0	S	3	2,50	GN	€ 44,95
 			58,40	 Pistone							
			58,50								
			58,60								
			58,80								
			59,00								
			59,40								
			59,60								
			59,80								
			60,00								
			60,20								
			60,40								
			60,50								
MOTORE AGRICOLO / ENGINE Made in Italy Motore a 2 Tempi / 2 Strokes Engine - Mix 5% Cilindro in Ghisa / C. Iron Cylinder Raffreddamento ad Aria Forzata / Forced Aircooled											

Codice Code	Modello Model	BETA MOTORI	Diametro Diameter m.m.	Compress + Bom. Testa Head Height	Lung. Lenght Tot.	Spinotto - Pin Diam x Lung/Lenght	Block Spin. Pin	Segm. Rings N° Q.ty	Altezza Segm. Rings Height	Block Grano Notch Rings	Prezzo netto completo , IVA esclusa Net Price
G0756	BETA INTERMOTOR B 151		60,00	33,5 B-4,0	64,5	14 x 51,0	A	2	2,00	GN	€ 44,95
 			60,40	 Pistone							
			60,60								
			60,80								
			61,00								
			61,20								
			61,40								
			61,60								
			61,80								
			62,00								
		MOTORE AGRICOLO / ENGINE Made in Italy Motore a 2 Tempi / 2 Strokes Engine - Mix 5% Cilindro in Ghisa / C. Iron Cylinder Raffreddamento ad Aria Forzata / Forced Aircooled									

Codice Code	Modello Model	BETA MOTORI	Diametro Diameter m.m.	Compress + Bom. Testa Head Height	Lung. Lenght Tot.	Spinotto - Pin Diam x Lung/Lenght	Block Spin. Pin	Segm. Rings N° Q.ty	Altezza Segm. Rings Height	Block Grano Notch Rings	Prezzo netto completo , IVA esclusa Net Price			
G0511	BETA INTERMOTOR B 175		62,00	40,0 B-4,0	69,5	16 x 52,0	S	3	2,50	GN	€ 52,00			
 			62,40	 Pistone										
			62,60											
			62,80											
			63,00											
			63,20											
			63,40											
			63,60											
			63,80											
			64,00											
MOTORE AGRICOLO / ENGINE Made in Italy Motore a 2 Tempi / 2 Strokes Engine - Mix 5% Cilindro in Ghisa / C. Iron Cylinder Raffreddamento ad Aria Forzata / Forced Aircooled														

Codice Code	Modello Model	BETA MOTORI	Diametro Diameter m.m.	Compress + Bom. Testa Head Height	Lung. Lenght Tot.	Spinotto - Pin Diam x Lung/Lenght	Block Spin. Pin	Segm. Rings N° Q.ty	Altezza Segm. Rings Height	Block Grano Notch Rings	Prezzo netto completo , IVA esclusa Net Price
G0757	BETA INTERMOTOR B205-210		67,00	39,0 B-5,0	71,0	16 x 58,0	S	3	2,50	GN	€ 52,50
 		 Pistone MOTORE AGRICOLO / ENGINE Made in Italy Motore a 2 Tempi / 2 Strokes Engine - Mix 5% Cilindro in Ghisa / C. Iron Cylinder Raffreddamento ad Aria Forzata / Forced Aircooled	67,50	 							
			68,00								
			68,50								
			69,00								
			69,50								
 		Agrimondo 43,95 A 43,96 B 43,97 C Campeon 44,50 45,00	44,00	 Pistone MOTORE AGRICOLO / ENGINE Made in Espana Motore CAMPEON a 2 Tempi / 2 Strokes Engine 65cc - Mix 4% Cilindro in Ghisa / C. Iron Cylinder - Raffreddamento ad Aria forzata / Forced Aircooled Adattabile / Suitable AGRIMONDO Turbine Cil. Alluminio Cromo / Aluminium Chrome Cylinder Raffreddamento ad Aria Forzata / Forced Aircooled	 						
			44,50								
			45,00								
 		52,40 52,60 52,80 53,00 53,20 53,00 53,40 53,60	52,00	 Pistone MOTORE AGRICOLO / ENGINE Made in Espana Motore CAMPEON a 2 Tempi / 2 Strokes Engine 99cc - Mix 4% Cilindro in Ghisa / C. Iron Cylinder Raffreddamento ad Aria Forzata / Forced Aircooled	 						
			52,40								
			52,60								
			52,80								
			53,00								
 		62,40 62,50 62,80 63,00 63,50 64,00	62,00	 Pistone MOTORE AGRICOLO / ENGINE Made in Germany-Espana Motore CAMPEON - HIRTH a 2 Tempi / 2 Strokes Engine 10Hp Mix 5% Cilindro in Ghisa / C. Iron Cylinder Raffreddamento ad Aria forzata / Forced Aircooled	 						
			62,40								
			62,50								
			62,80								
			63,00								


Codice Code	Modello Model	CM MOTORI	Diametro Diameter m.m.	Compress + Bom. Testa Head Height	Lung. Lenght Tot.	Spinotto - Pin Diam x Lung/Lenght	Block Spin. Pin	Segm. Rings N° Q.ty	Altezza Segm. Rings Height	Block Grano Notch Rings	Prezzo netto completo , IVA esclusa Net Price
G0737	CM 46		40,00	18,5 B-2,0	43,0	10 x 33,0	A	2	1,50	GN	€ 30,95
			40,40								
			40,60								
			40,80								
			41,00								
			41,20								
			41,40								
Pistone MOTORE AGRICOLO / ENGINE Made in Italy Motore a 2 Tempi / 2 Strokes Engine 2Hp Mix 5% Adattabile / Suitable CM 46 - BETA Intermotor B51 Cilindro in Ghisa / C. Iron Cylinder - Raffreddamento ad Aria Forzata / Forced Aircooled											
Codice Code	Modello Model	CM MOTORI	Diametro Diameter m.m.	Compress + Bom. Testa Head Height	Lung. Lenght Tot.	Spinotto - Pin Diam x Lung/Lenght	Block Spin. Pin	Segm. Rings N° Q.ty	Altezza Segm. Rings Height	Block Grano Notch Rings	Prezzo netto completo , IVA esclusa Net Price
G0750B	CM 80		48,00	27,5 B-2,0	54,0	12 x 38,0	A	2	2,00	GN	€ 32,83
			48,40								
			48,60								
			48,80								
			49,00								
			49,40								
			49,60								
Pistone MOTORE AGRICOLO / ENGINE Made in Italy Motore a 2 Tempi / 2 Strokes Engine 4Hp - Mix 5% Adattabile / Suitable CM 80 Cilindro in Ghisa / C. Iron Cylinder - Raffreddamento ad Aria Forzata / Forced Aircooled											
Codice Code	Modello Model	CM MOTORI	Diametro Diameter m.m.	Compress + Bom. Testa Head Height	Lung. Lenght Tot.	Spinotto - Pin Diam x Lung/Lenght	Block Spin. Pin	Segm. Rings N° Q.ty	Altezza Segm. Rings Height	Block Grano Notch Rings	Prezzo netto completo , IVA esclusa Net Price
G0023	CM 100 - ILO L101		50,00	35,0 B-5,0	61,0	12 x 42,0	A	2	2,50	GN	€ 36,10
			50,40								
			50,50								
			50,60								
			50,80								
			51,00								
			51,20								
Pistone MOTORE AGRICOLO / ENGINE Made in Italy/Germany Motore a 2 Tempi / 2 Strokes Engine 5Hp - Mix 5% Adattabile / Suitable CM 100 - ILO L101 Cilindro in Ghisa / C. Iron Cylinder - Raffreddamento ad Aria Forzata / Forced Aircooled											
Codice Code	Modello Model	CM MOTORI	Diametro Diameter m.m.	Compress + Bom. Testa Head Height	Lung. Lenght Tot.	Spinotto - Pin Diam x Lung/Lenght	Block Spin. Pin	Segm. Rings N° Q.ty	Altezza Segm. Rings Height	Block Grano Notch Rings	Prezzo netto completo , IVA esclusa Net Price
G0767	CM 90		52,00	30,0 B-6,0	64,0	15 x 45,0	S	2	2,00	GN	€ 39,95
			52,40								
			52,50								
			52,60								
			52,80								
			53,00								
			53,20								
Pistone MOTORE AGRICOLO / ENGINE Made in Italy Motore a 2 Tempi / 2 Strokes Engine 6,5Hp - Mix 5% Adattabile / Suitable CM 90 Cilindro in Ghisa / C. Iron Cylinder - Raffreddamento ad Aria Forzata / Forced Aircooled											

Codice Code	Modello Model	CM MOTORI	Diametro Diameter m.m.	Compress + Bom. Testa Head Height	Lung. Lenght Tot.	Spinotto - Pin Diam x Lung/Lenght	Block Spin. Pin	Segm. Rings N° Q.ty	Altezza Segm. Rings Height	Block Grano Notch Rings	Prezzo netto completo , IVA esclusa Net Price
G0760	CM 125 - ILO L124		56,00	35,0 B-0,0	56,0	14 x 45,0	A	2	2,00	GN	€ 42,00
 			56,40								
			56,60								
			56,80								
			57,00								
			57,40								
Pistone MOTORE AGRICOLO / ENGINE Made in Italy/Germany Motore a 2 Tempi / 2 Strokes Engine 6Hp - Mix 5% Adattabile / Suitable CM 125 - ILO L124 R Cilindro in Ghisa / C. Iron Cylinder - Raffreddamento ad Aria Forzata / Forced Aircooled											

Codice Code	Modello Model	CM MOTORI	Diametro Diameter m.m.	Compress + Bom. Testa Head Height	Lung. Lenght Tot.	Spinotto - Pin Diam x Lung/Lenght	Block Spin. Pin	Segm. Rings N° Q.ty	Altezza Segm. Rings Height	Block Grano Notch Rings	Prezzo netto completo , IVA esclusa Net Price
G0024	CM 150 - ILO L151-152		59,00	39,0 B-5,0	69,0	14 x 51,0	A	3	2,50	GN	€ 39,95
 			59,40								
			59,50								
			59,60								
			59,80								
			60,00								
			60,20								
			60,40								
			60,50								
			60,60								
			60,80								
Pistone MOTORE AGRICOLO / ENGINE Made in Italy/Germany Motore a 2 Tempi / 2 Strokes Engine 6Hp - Mix 5% Adattabile / Suitable CM 150 - ILO L151-152 Cilindro in Ghisa / C. Iron Cylinder - Raffreddamento ad Aria Forzata / Forced Aircooled											

Codice Code	Modello Model		Diametro Diameter m.m.	Compress + Bom. Testa Head Height	Lung. Lenght Tot.	Spinotto - Pin Diam x Lung/Lenght	Block Spin. Pin	Segm. Rings N° Q.ty	Altezza Segm. Rings Height	Block Grano Notch Rings	Prezzo netto completo , IVA esclusa Net Price
G0047	DUCATI Salice - Hidro		40,00	17,0 B-2,0	42,0	9 x 33,0	A	2	1,50	GN	€ 31,95
 			39,95 A								
			39,96 B								
			39,97 C								
			39,98 D								
Pistone MOTORE AGRICOLO / ENGINE Made in Italy Motore a 2 Tempi / 2 Strokes Engine 2Hp Mix 4% Adattabile Motopompa / Suitable Hidropump - ZANETTI D46 Cilindro Alluminio Cromo / Aluminium Chrome Cylinder Raffreddamento ad Aria forzata / Forced Aircooled											

Codice Code	Modello Model		Diametro Diameter m.m.	Compress + Bom. Testa Head Height	Lung. Lenght Tot.	Spinotto - Pin Diam x Lung/Lenght	Block Spin. Pin	Segm. Rings N° Q.ty	Altezza Segm. Rings Height	Block Grano Notch Rings	Prezzo netto completo , IVA esclusa Net Price
G0533B	DUCATI 100 Acero		51,00	25,0 B-5,5	56,5	14 x 42,0	A	2	2,00	GN	€ 42,00
 			50,95 A								
			50,96 B								
			50,97 C								
			50,98 D								
M.Morini Engine ZP4 Pistone MOTORE AGRICOLO / ENGINE Made in Italy Motore a 2 Tempi / 2 Strokes Engine 5Hp Mix 4% Cilindro Alluminio Cromo / Aluminium Chrome Cylinder Raffreddamento ad Aria forzata / Forced Aircooled Adattabile cod 0533 / Also Suitable *Motore MORINI Engine ZP4 (*Cil.Ghisa / *C.Iron Cylinder)											

Codice Code	Modello Model		Diametro Diameter m.m.	Compress + Bom. Testa Head Height	Lung. Length Tot.	Spinotto - Pin Diam x Lung/Length	Block Spin. Pin	Segm. Rings N° Q.ty	Altezza Segm. Rings Height	Block Grano Notch Rings	Prezzo netto completo , IVA esclusa Net Price
G0914	HIRTH MOTOR 451AZL		60,00	29,0 B-5,0	78,0	15 x 52,0	S	3	2,50	GN	€ 98,02
			60,50 61,00 61,50 62,00				Pistone MOTORE INDUSTRIALE - ENGINE Made in Germany Motore a 2 Tempi / 2 Strokes Engine 138cc - Mix 5% 10HP Adattabile / Suitable Aircraft 34M4-6 Cilindro in Ghisa / C. Iron Cylinder - Raffreddamento ad Aria / Aircooled				
G0913	HIRTH MOTOR O151		60,00	35,0 B-2,0	63,5	15 x 52,0	S	2	2,50	GN	€ 98,02
			.				Pistone MOTORE INDUSTRIALE - ENGINE Made in Germany Motore a 2 Tempi / 2 Strokes Engine 142cc - Mix 2% 10HP Cilindro in Ghisa / C. Iron Cylinder - Raffreddamento ad Aria / Aircooled				
G0794	HIRTH MOTOR 165 - CAMPEON	 	62,00	35,0 B-5,0	70,0	16 x 52,0	S	2	2,50	GN	€ 45,99
 			62,40 62,50 62,80 63,00 63,50 64,00				Pistone MOTORE AGRICOLO / ENGINE Made in Germany-España Motore CAMPEON - HIRTH a 2 Tempi / 2 Strokes Engine 159cc - Mix 5% 10HP Cilindro in Ghisa / C. Iron Cylinder Raffreddamento ad Aria forzata / Forced Aircooled				
G0916B	HIRTH MOTOR 245 G		67,50	30,0 B-4,0	68,0	15 x 60,0	S	3	2,50	GN	€ 109,18
			68,00 68,40 68,50 69,00 69,50				Pistone MOTORE INDUSTRIALE - ENGINE Made in Germany Motore a 2 Tempi / 2 Strokes Engine 245cc - Mix 5% 13HP Adattabile / Suitable Aircraft Hovercraft Firepump Cilindro in Ghisa / C. Iron Cylinder - Raffreddamento ad Aria / Aircooled				

Codice Code	Modello Model		Diametro Diameter m.m.	Compress + Bom. Testa Head Height	Lung. Lenght Tot.	Spinotto - Pin Diam x Lung/Lenght	Block Spin. Pin	Segm. Rings N° Q.ty	Altezza Segm. Rings Height	Block Grano Notch Rings	Prezzo netto completo , IVA esclusa Net Price
G0916	HIRTH MOTOR Typ45		68,00	28,0 B-4,0	75,0	15 x 60,0	S	3	2,50	GN	€ 109,18
			68,50 69,00 69,50 70,00				Pistone MOTORE INDUSTRIALE - ENGINE Made in Germany Motore a 2 Tempi / 2 Strokes Engine 245cc - Mix 5% 13HP Adattabile / Suitable Aircraft Hovercraft Firepump Cilindro in Ghisa / C. Iron Cylinder - Raffreddamento ad Aria / Aircooled				
G0918	HIRTH MOTOR 255 F36		70,00	38,0 B-4,0	72,0	18 x 60,0	A	3	2,00	GN	€ 129,95
			70,50 71,00 71,50				Pistone MOTORE INDUSTRIALE - ENGINE Made in Germany Motore a 2 Tempi / 2 Strokes Engine 208cc - Mix 5% 15HP Adattabile / Suitable Aircraft Hovercraft Firepump Cilindro in Ghisa / C. Iron Cylinder - Raffreddamento ad Aria / Aircooled				
G0716B	HONDA Generatore - Hidro		45,00	25,5 B-3,0	49,0	10 x 36,0	A	2	1,50	GI	€ 39,02
			45,50 46,00				Pistone MOTORE AGRICOLO-INDUSTRIALE - ENGINE Motore a 2 Tempi / 2 Strokes Engine 3Hp - Mix 4% Adattabile / Suitable Generatore / hidropump Cilindro in Ghisa / C. Iron Cylinder Raffreddamento ad Aria Forzata / Forced Aircooled				
G0552	ILO L26		35,00	20,0 B-2,5	40,5	9 x 27,0	A	2	1,50	GN	€ 35,50
			34,95 A . . .				Pistone MOTORE AGRICOLO - ENGINE Made in Germany Motore a 2 Tempi / 2 Strokes Engine 33cc - mix 5% 0,50HP Cilindro Alluminio Cromo / Aluminium Chrome Cylinder Raffreddamento ad Aria Forzata / Forced Aircooled				

Codice Code	Modello Model	JLO	Diametro Diameter m.m.	Compress + Bom. Testa Head Height	Lung. Lenght Tot.	Spinotto - Pin Diam x Lung/Lenght	Block Spin. Pin	Segm. Rings N° Q.ty	Altezza Segm. Rings Height	Block Grano Notch Rings	Prezzo netto completo , IVA esclusa Net Price
G0019B	ILO L50		38,00	27,5 B-4,0	52,0	10 x 31,5	A	2	2,50	GN	€ 30,95
 			38,50	 Pistone							MOTORE AGRICOLO - ENGINE Made in Germany Motore a 2 Tempi / 2 Strokes Engine 46cc - mix 5% 1,50Hp Cilindro in Ghisa / C. Iron Cylinder Raffreddamento ad Aria Forzata / Forced Aircooled
			39,00								
			39,50								
			40,00								
G0021B	ILO L50 FP		38,00	22,5 B-4,0	52,0	10 x 31,5	A	2	2,00	GN	€ 36,50
 			.	 Pistone							MOTORE AGRICOLO - ENGINE Made in Germany Motore a 2 Tempi / 2 Strokes Engine 46cc - mix 5% 1,50Hp Cilindro in Ghisa / C. Iron Cylinder Raffreddamento ad Aria Forzata / Forced Aircooled
			.								
			.								
			.								
			.								
G0022	ILO L75-77		43,00	31,0 B-4,0	59,0	12 x 35,0	A	2	2,00	GN	€ 35,50
 			43,40	 Pistone							MOTORE AGRICOLO - ENGINE Made in Germany Motore a 2 Tempi / 2 Strokes Engine 75cc - mix 5% 2,00Hp Cilindro in Ghisa / C. Iron Cylinder Raffreddamento ad Aria Forzata / Forced Aircooled
			43,60								
			43,80								
			44,00								
			45,00								
G0023	ILO L101 - CM 100		50,00	35,0 B-5,0	61,0	12 x 42,0	A	2	2,50	GN	€ 36,10
 			50,40	 Pistone							MOTORE AGRICOLO / ENGINE Made in Germany Motore a 2 Tempi / 2 Strokes Engine 5Hp - Mix 5% Adattabile / Suitable CM 100 Cilindro in Ghisa / C. Iron Cylinder - Raffreddamento ad Aria Forzata / Forced Aircooled
			50,50								
			50,60								
			50,80								
			51,00								

Codice Code	Modello Model	JLO	Diametro Diameter m.m.	Compress + Bom. Testa Head Height	Lung. Lenght Tot.	Spinotto - Pin Diam x Lung/Lenght	Block Spin. Pin	Segm. Rings N° Q.ty	Altezza Segm. Rings Height	Block Grano Notch Rings	Prezzo netto completo , IVA esclusa Net Price
G0760	ILO L124 R - CM 125		56,00	35,0 B-0,0	56,0	14 x 45,0	A	2	2,00	GN	€ 42,00
 			56,40			Pistone MOTORE AGRICOLO / ENGINE Made in Germany Motore a 2 Tempi / 2 Strokes Engine 6Hp - Mix 5% Adattabile / Suitable CM 125 Cilindro in Ghisa / C. Iron Cylinder - Raffreddamento ad Aria Forzata / Forced Aircooled					
			56,60								
			56,80								
			57,00								
			57,40								

Codice Code	Modello Model	JLO	Diametro Diameter m.m.	Compress + Bom. Testa Head Height	Lung. Lenght Tot.	Spinotto - Pin Diam x Lung/Lenght	Block Spin. Pin	Segm. Rings N° Q.ty	Altezza Segm. Rings Height	Block Grano Notch Rings	Prezzo netto completo , IVA esclusa Net Price
G0024	ILO L151-152 - CM 150		59,00	39,0 B-5,0	69,0	14 x 51,0	A	3	2,50	GN	€ 39,95
 			59,40			Pistone MOTORE AGRICOLO / ENGINE Made in Germany Motore a 2 Tempi / 2 Strokes Engine 6Hp - Mix 5% Adattabile / Suitable CM 150 Cilindro in Ghisa / C. Iron Cylinder - Raffreddamento ad Aria Forzata / Forced Aircooled					
			59,50								
			59,60								
			59,80								
			60,00								
			60,20								
			60,40								
			60,50								
			60,60								
			60,80								
			61,00								
			61,50								
			62,00								

Codice Code	Modello Model	JLO	Diametro Diameter m.m.	Compress + Bom. Testa Head Height	Lung. Lenght Tot.	Spinotto - Pin Diam x Lung/Lenght	Block Spin. Pin	Segm. Rings N° Q.ty	Altezza Segm. Rings Height	Block Grano Notch Rings	Prezzo netto completo , IVA esclusa Net Price
G0772	ILO L197		66,00	37,0 B-4,5	73,5	18 x 56,0	A	2	2,50	GN	€ 47,99
 			66,50			Pistone MOTORE AGRICOLO / ENGINE Made in Germany Motore a 2 Tempi / 2 Strokes Engine 13Hp - Mix 5% Cilindro in Ghisa / C. Iron Cylinder Raffreddamento ad Aria Forzata / Forced Aircooled					
			67,00								
			67,50								
			68,00								

Codice Code	Modello Model	JLO	Diametro Diameter m.m.	Compress + Bom. Testa Head Height	Lung. Lenght Tot.	Spinotto - Pin Diam. x Lung/Lenght	Block Spin. Pin	Segm. Rings N° Q.ty	Altezza Segm. Rings Height	Block Grano Notch Rings	Prezzo netto completo , IVA esclusa Net Price
G0910	ILO L252		69,00	50,0 B-5,0	85,0	16 x 60,0	A	3	2,50	GN	€ 59,50
 			69,50			Pistone MOTORE AGRICOLO / ENGINE Made in Germany Motore a 2 Tempi / 2 Strokes Engine 15Hp - Mix 5% Cilindro in Ghisa / C. Iron Cylinder Raffreddamento ad Aria Forzata / Forced Aircooled					
			70,00								
			70,50								
			71,00								

Codice Code	Modello Model	MotoreMinarelli	Diametro Diameter m.m.	Compress + Bom.Testa Head Height	Lung. Lenght Tot.	Spinotto - Pin Diam. x Lung/Lenght	Block Spin. Pin	Segm. Rings N° Q.ty	Altezza Segm. Rings Height	Block Grano Notch Rings	Prezzo netto completo , IVA esclusa Net Price
G0848	MINARELLI - OLEO-MAC		40,00	17,0 B-2,0	41,5	10 x 33,0	A	2	1,50	GN	€ 30,95
 		39,95 A 39,96 B 39,97 C 39,98 D	 Pistone								
		 MOTORE AGRICOLO / ENGINE Made in Italy Motore a 2 Tempi / Strokes Engine 46cc - Mix 5% 1,5Hp Adattabile / Suitable Gardening - Waterpump OLEOMAC Cilindro Alluminio Cromo / Aluminium Chrome Cylinder Raffreddamento ad Aria forzata / Forced Aircooled									
 		40,40 40,60 40,80 41,00	 Pistone								
		 MOTORE AGRICOLO / ENGINE Made in Italy Motore a 2 Tempi / Strokes Engine 46cc - Mix 5% 1,5Hp Adattabile / Suitable Gardening Cilindro in Ghisa / C. Iron Cylinder - Raffreddamento ad Aria Forzata / Forced Aircooled									
 		47,40 47,60 47,80 48,00 48,20 48,40 48,60 48,80 49,00 49,40	 Pistone								
		 MOTORE AGRICOLO / ENGINE Made in Italy Motore a 2 Tempi / Strokes Engine 74cc - Mix 5% Cilindro in Ghisa / C. Iron Cylinder Raffreddamento ad Aria Forzata / Forced Aircooled									
 		48,40 48,60 48,80 Minarelli I 85 49,00 49,40 49,60 49,80 50,00 50,40	 Pistone								
		 MOTORE AGRICOLO / ENGINE Made in Italy Motore a 2 Tempi / Strokes Engine 74cc - Mix 5% Cilindro in Ghisa / C. Iron Cylinder Raffreddamento ad Aria Forzata / Forced Aircooled									

Codice Code	Modello Model	Motore Minarelli	Diametro Diameter m.m.	Compress + Bom. Testa Head Height	Lung. Lenght Tot.	Spinotto - Pin Diam. x Lung/Lenght	Block Spin. Pin	Segm. Rings N° Q.ty	Altezza Segm. Rings Height	Block Grano Notch Rings	Prezzo netto completo , IVA esclusa Net Price
G0747	MINARELLI I 125		55,00	31,0 B-4,0	63,0	13 x 45,0	A	2	2,00	GN	€ 37,40
 	 	 	 	55,40							
				55,60							
				55,80							
				56,00							
				56,20							
				56,40							
				56,60							
				56,80							
				57,00							
Pistone MOTORE AGRICOLO / ENGINE Made in Italy Motore a 2 Tempi / Strokes Engine 124cc - Mix 5% Cilindro in Ghisa / C. Iron Cylinder Raffreddamento ad Aria Forzata / Forced Aircooled											

Codice Code	Modello Model		Diametro Diameter m.m.	Compress + Bom. Testa Head Height	Lung. Lenght Tot.	Spinotto - Pin Diam x Lung/Lenght	Block Spin. Pin	Segm. Rings N° Q.ty	Altezza Segm. Rings Height	Block Grano Notch Rings	Prezzo netto completo , IVA esclusa Net Price
G0545	MINARELLI I 160		57,00	34,0 B-5,5	74,0	16 x 50,0	S	3	2,00	GN	€ 39,02
 	 	 									
Pistone MOTORE AGRICOLO / ENGINE Made in Italy Motore a 2 Tempi / Strokes Engine 158cc - Mix 5% Cilindro in Ghisa / C. Iron Cylinder Raffreddamento ad Aria Forzata / Forced Aircooled											

Codice Code	Modello Model	Motore	Diametro Diameter m.m.	Compress + Bom.Testa Head Height	Lung. Lenght Tot.	Spinotto - Pin Diam x Lung/Lenght	Block Spin. Pin	Segm. Rings N° Q.ty	Altezza Segm. Rings Height	Block Grano Notch Rings	Prezzo netto completo , IVA esclusa Net Price
G0781	MINARELLI I 150		60,00	31,0 B-3,5	64,5	16 x 50,0	S	2	2,00	GN	€ 47,99
 											
Pistone MOTORE AGRICOLO / ENGINE Made in Italy Motore a 2 Tempi / Strokes Engine 148cc - Mix 5% Cilindro in Ghisa / C. Iron Cylinder Raffreddamento ad Aria Forzata / Forced Aircooled											

Codice Code	Modello Model	Motore Minarelli	Diametro Diameter m.m.	Compress + Bom.Testa Head Height	Lung. Lenght Tot.	Spinotto - Pin Diam x Lung/Lenght	Block Spin. Pin	Segm. Rings N° Q.ty	Altezza Segm. Rings Height	Block Grano Notch Rings	Prezzo netto completo , IVA esclusa Net Price
G0749	MINARELLI I 190		62,00	34,0 B-5,5	74,0	16 x 52,0	S	2	2,00	GN	€ 48,10
 	 	 									
Pistone MOTORE AGRICOLO / ENGINE Made in Italy Motore a 2 Tempi / Strokes Engine 174cc - Mix 5% Cilindro in Ghisa / C. Iron Cylinder Raffreddamento ad Aria Forzata / Forced Aircooled											

Codice Code	Modello Model		Diametro Diameter m.m.	Compress + Bom. Testa Head Height	Lung. Lenght Tot.	Spinotto - Pin Diam. x Lung/Lenght	Block Spin. Pin	Segm. Rings N° Q.ty	Altezza Segm. Rings Height	Block Grano Notch Rings	Prezzo netto completo , IVA esclusa Net Price
G0792	MINSEL M100		50,00	35,0 B-5,0	61,0	14 x 42,0	A	2	2,50	GN	€ 38,00
 			50,40 50,50 50,60 50,80 51,00 51,20 51,40 51,60 51,80 52,00								
			Pistone MOTORE AGRICOLO / ENGINE Made in Espana Motore a 2 Tempi / 2 Strokes Engine 98cc - Mix 5% 5HP Cilindro in Ghisa / C. Iron Cylinder Raffreddamento ad Aria forzata / Forced Aircooled								

Codice Code	Modello Model		Diametro Diameter m.m.	Compress + Bom. Testa Head Height	Lung. Lenght Tot.	Spinotto - Pin Diam x Lung/Lenght	Block Spin. Pin	Segm. Rings N° Q.ty	Altezza Segm. Rings Height	Block Grano Notch Rings	Prezzo netto completo , IVA esclusa Net Price
G0783	MINSEL M150		59,00	39,0 B-5,0	69,0	14 x 51,0	A	2	2,00	GN	€ 38,90
 			59,40 59,60 59,80 60,00 60,40 60,50								
			Pistone MOTORE AGRICOLO / ENGINE Made in Espana Motore a 2 Tempi / 2 Strokes Engine 148cc - Mix 5% 7HP Cilindro in Ghisa / C. Iron Cylinder Raffreddamento ad Aria forzata / Forced Aircooled								

Codice Code	Modello Model		Diametro Diameter m.m.	Compress + Bom. Testa Head Height	Lung. Lenght Tot.	Spinotto - Pin Diam x Lung/Lenght	Block Spin. Pin	Segm. Rings N° Q.ty	Altezza Segm. Rings Height	Block Grano Notch Rings	Prezzo netto completo , IVA esclusa Net Price
G0783B	MINSEL M165		61,00	39,0 B-5,0	69,0	14 x 51,0	A	2	2,00	GN	€ 42,00
 			61,40 61,60 61,80 62,00 62,40								
			Pistone MOTORE AGRICOLO / ENGINE Made in Espana Motore a 2 Tempi / 2 Strokes Engine 158cc - Mix 5% 8HP Cilindro in Ghisa / C. Iron Cylinder Raffreddamento ad Aria forzata / Forced Aircooled								

Codice Code	Modello Model		Diametro Diameter m.m.	Compress + Bom. Testa Head Height	Lung. Lenght Tot.	Spinotto - Pin Diam. x Lung/Lenght	Block Spin. Pin	Segm. Rings N° Q.ty	Altezza Segm. Rings Height	Block Grano Notch Rings	Prezzo netto completo , IVA esclusa Net Price
G0302B	MORINI C 100		49,00	28,5 B-3,0	60,0	14 x 40,0	A	2	2,00	GN	€ 35,50
 			49,40 49,60 49,80 50,00 50,40 50,60 50,80 51,00 51,40								
			Pistone MOTORE AGRICOLO / ENGINE Made in Italy Motore a 2 Tempi / 2 Strokes Engine 98cc - Mix 5% Cilindro in Ghisa / C. Iron Cylinder Raffreddamento ad Aria Forzata / Forced Aircooled								

Codice Code	Modello Model	Diametro Diameter m.m.	Compress + Bom. Testa Head Height	Lung. Lenght Tot.	Spinotto - Pin Diam x Lung/Lenght	Block Spin. Pin	Segm. Rings N° Q.ty	Altezza Segm. Rings Height	Block Grano Notch Rings	Prezzo netto completo , IVA esclusa Net Price
G0533	MORINI ZP4 100	50,00	25,0 B-5,5	56,0	14 x 42,0	A	2	2,00	GN	€ 42,00
 		50,40	 Pistone MOTORE AGRICOLO / ENGINE Made in Italy Motore a 2 Tempi / Strokes Engine 98cc - Mix 5% Cilindro in Ghisa / C. Iron Cylinder Raffreddamento ad Aria Forzata / Forced Aircooled							
		50,60								
		50,80								
		51,00								
		51,20								
		51,40								
		51,60								
		51,80								
		52,00								
		52,40								
G0751	MORINI CZ 124	55,00	28,0 B-5,5	62,0	14 x 45,0	A	2	2,00	GN	€ 43,02
 		54,95 A	 Pistone MOTORE AGRICOLO / ENGINE Made in Italy Motore a 2 Tempi / Strokes Engine 124cc - Mix 5% Cilindro in Ghisa / C. Iron Cylinder Raffreddamento ad Aria Forzata / Forced Aircooled							
		54,96 B								
		54,97 C								
		54,98 D								
		54,99 E								
		55,00 F								
		55,01 G								
G0932	MOSA Motore Industriale	54,00	34,0 B-0,0	58,0	13 x 40,0	A	2	2,50	GN	€ 74,00
 		53,95 A	 Pistone MOTORE INDUSTRIALE / ENGINE Made in Italy Motore a 2 Tempi / 2 Strokes Engine 123cc - Mix 5% 5,5Hp Cilindro Alluminio Cromo / Aluminium Chrome Cylinder Raffreddamento ad Aria Forzata / Forced Aircooled							
		53,96 B								
		53,97 C								
		53,98 D								
G0929	ROTAX 150 BT7 ENGINE	59,00	37,5 B-4,0	73,0	15 x 48,5	A	2	2,50	GN	€ 49,95
 		59,50	 Pistone MOTORE AGRICOLO - ENGINE Made in Austria Motore a 2 Tempi / 2 Strokes Engine 148cc Mix 5% Cilindro in Ghisa / C. Iron Cylinder - Raffreddamento ad Aria / Aircooled							
		60,00								

Codice Code	Modello Model	ROTAX	Diametro Diameter m.m.	Compress + Bom. Testa Head Height	Lung. Lenght Tot.	Spinotto - Pin Diam x Lung/Lenght	Block Spin. Pin	Segm. Rings N° Q.ty	Altezza Segm. Rings Height	Block Grano Notch Rings	Prezzo netto completo , IVA esclusa Net Price
G0930	ROTAX 175 BT8.3 ENGINE		62,00	34,0 B-4,0	77,5	18 x 50,0	A	3	2,50	GN	€ 65,10
 			62,50 63,00 63,50								
				Pistone		MOTORE AGRICOLO - ENGINE Made in Austria		Motore a 2 Tempi / 2 Strokes Engine 174cc Mix 5%			
						Cilindro in Ghisa / C. Iron Cylinder - Raffreddamento ad Aria / Aircooled					

Codice Code	Modello Model	ROTAX	Diametro Diameter m.m.	Compress + Bom. Testa Head Height	Lung. Lenght Tot.	Spinotto - Pin Diam x Lung/Lenght	Block Spin. Pin	Segm. Rings N° Q.ty	Altezza Segm. Rings Height	Block Grano Notch Rings	Prezzo netto completo , IVA esclusa Net Price
G0930B	ROTAX 175 BT8.2 ENGINE		62,00	32,0 B-4,0	68,0	18 x 50,0	A	2	2,50	GN	€ 65,10
 			62,50 63,00 63,50								
				Pistone		MOTORE AGRICOLO - ENGINE Made in Austria		Motore a 2 Tempi / 2 Strokes Engine 174cc Mix 5%			
						Cilindro in Ghisa / C. Iron Cylinder - Raffreddamento ad Aria / Aircooled					

Codice Code	Modello Model	ROTAX	Diametro Diameter m.m.	Compress + Bom. Testa Head Height	Lung. Lenght Tot.	Spinotto - Pin Diam x Lung/Lenght	Block Spin. Pin	Segm. Rings N° Q.ty	Altezza Segm. Rings Height	Block Grano Notch Rings	Prezzo netto completo , IVA esclusa Net Price
G0925	ROTAX 250 BT9 ENGINE		69,00	34,0 B-4,0	79,0	18 x 60,0	A	3	2,50	GN	€ 71,95
 			69,50 70,00 70,50 71,00								
				Pistone		MOTORE AGRICOLO - ENGINE Made in Austria		Motore a 2 Tempi / 2 Strokes Engine 247cc Mix 5%			
						Cilindro in Ghisa / C. Iron Cylinder - Raffreddamento ad Aria / Aircooled					

Codice Code	Modello Model	ROTAX	Diametro Diameter m.m.	Compress + Bom. Testa Head Height	Lung. Lenght Tot.	Spinotto - Pin Diam x Lung/Lenght	Block Spin. Pin	Segm. Rings N° Q.ty	Altezza Segm. Rings Height	Block Grano Notch Rings	Prezzo netto completo , IVA esclusa Net Price
G0926C	ROTAX 250 UNIVERSAL		72,00	32,0 B-3,0	71,0	18 x 60,0	A	2	2,50	GN	€ 129,95
 			72,50 73,00 73,50								
				Pistone		MOTORE INDUSTRIALE - ENGINE Made in Austria		Motore a 2 Tempi / 2 Strokes Engine 247cc Mix 5%			
						Universale Adattabile / Suitable Bombardier Snowmobile - Glider		Cilindro in Ghisa / C. Iron Cylinder - Raffreddamento ad Aria / Aircooled			



Codice Code	Modello Model	SACHS STAMO		Diametro Diameter m.m.	Compress + Bom. Testa Head Height	Lung. Lenght Tot.	Spinotto - Pin Diam x Lung/Lenght	Block Spin. Pin	Segm. Rings N° Q.ty	Altezza Segm. Rings Height	Block Grano Notch Rings	Prezzo netto completo , IVA esclusa Net Price
G0763	SACHS ST 80 BC			46,00	37,5 B-3,0	62,0	14 x 36,0	A	2	2,00	GN	€ 39,95
 			46,50	 Pistone								
			47,00									
			47,50									
			48,00									
			MOTORE AGRICOLO - ENGINE Made in Germany Motore STA.MO. a 2 Tempi / 2 Strokes Engine 2,0Hp Mix 4% Cilindro in Ghisa / C. Iron Cylinder - Raffreddamento ad Aria / Aircooled									

Codice Code	Modello Model	SACHS STAMO		Diametro Diameter m.m.	Compress + Bom. Testa Head Height	Lung. Lenght Tot.	Spinotto - Pin Diam x Lung/Lenght	Block Spin. Pin	Segm. Rings N° Q.ty	Altezza Segm. Rings Height	Block Grano Notch Rings	Prezzo netto completo , IVA esclusa Net Price
G0764	SACHS ST 80 BL			46,00	28,5 B-3,0	58,0	14 x 36,0	A	2	2,00	GN	€ 39,95
 				46,50	 Pistone			MOTORE AGRICOLO - ENGINE Made in Germany Motore STA.MO. a 2 Tempi / 2 Strokes Engine 2,0Hp Mix 4% Cilindro in Ghisa / C. Iron Cylinder - Raffreddamento ad Aria / Aircooled				
				47,00								
				47,50								
				48,00								

Codice Code	Modello Model		Diametro Diameter m.m.	Compress + Bom. Testa Head Height	Lung. Lenght Tot.	Spinotto - Pin Diam x Lung/Lenght	Block Spin. Pin	Segm. Rings N° Q.ty	Altezza Segm. Rings Height	Block Grano Notch Rings	Prezzo netto completo , IVA esclusa Net Price
G0923	SACHS ST 76		48,00	26,5 B-4,0	52,5	14 x 38,0	A	2	2,00	GN	€ 39,95
 			47,95 A	 Pistone							
			47,96 B								
			47,97 C								
			Cil.Ghisa								
			C.Iron Cyl								
		48,50									
		49,00									
MOTORE AGRICOLO - ENGINE Made in Germany Motore STA.MO. a 2 Tempi / 2 Strokes Engine 2,7Hp Mix 4% Cilindro in Ghisa ed Alluminio Cromo / C. Iron Cylinder and Aluminium Chrome Cylinder Raffreddamento ad Aria / Aircooled											

Codice Code	Modello Model		Diametro Diameter m.m.	Compress + Bom. Testa Head Height	Lung. Lenght Tot.	Spinotto - Pin Diam. x Lung/Lenght	Block Spin. Pin	Segm. Rings N° Q.ty	Altezza Segm. Rings Height	Block Grano Notch Rings	Prezzo netto completo , IVA esclusa Net Price
G0920	SACHS ST 96		52,00	26,0 B-4,5	52,5	14 x 42,0	A	2	2,00	GN	€ 42,00
 			51,95 A	 Pistone							
			51,96 B								
			51,97 C								
			Cil.Ghisa								
			C.Iron Cyl								
			52,50								
			53,00								
MOTORE AGRICOLO - ENGINE Made in Germany Motore STA.MO. a 2 Tempi / 2 Strokes Engine 3,7Hp Mix 4% Cilindro in Ghisa ed Alluminio Cromo / C. Iron Cylinder and Aluminium Chrome Cylinder Raffreddamento ad Aria / Aircooled											

Codice Code	Modello Model	SACHS STAMO	Diametro Diameter m.m.	Compress + Bom. Testa Head Height	Lung. Lenght Tot.	Spinotto - Pin Diam x Lung/Lenght	Block Spin. Pin	Segm. Rings N° Q.ty	Altezza Segm. Rings Height	Block Grano Notch Rings	Prezzo netto completo , IVA esclusa Net Price
G0961	SACHS ST 126		56,00	27,5 B-3,0	62,0	16 x 45,0	S	2	2,50	GN	€ 44,95
 			56,50	 Pistone	 MOTORE AGRICOLO - ENGINE Made in Germany Motore STA.MO. a 2 Tempi / 2 Strokes Engine 5,3Hp Mix 4% Cilindro in Ghisa / C. Iron Cylinder Raffreddamento ad Aria / Aircooled						
			57,00								
G0900	SACHS ST 151		60,00	27,5 B-3,0	62,0	16 x 50,0	S	2	2,50	GN	€ 47,99
 			60,50	 Pistone	 MOTORE AGRICOLO - ENGINE Made in Germany Motore STA.MO. a 2 Tempi / 2 Strokes Engine 6,0Hp Mix 4% Cilindro in Ghisa / C. Iron Cylinder Raffreddamento ad Aria / Aircooled						
			61,00 61,50								
G0773	SACHS ST 204		65,00	31,5 B-4,0	70,5	18 x 54,0	A	2	2,50	GN	€ 55,90
 			65,50	 Pistone	 MOTORE AGRICOLO - ENGINE Made in Germany Motore STA.MO. a 2 Tempi / 2 Strokes Engine 8,5Hp Mix 4% Cilindro in Ghisa / C. Iron Cylinder Raffreddamento ad Aria / Aircooled						
			66,00 66,50 67,00								
G0921	SACHS ST 201-202		65,00	37,0 B-4,0	78,0	18 x 54,0	A	3	2,50	GN	€ 64,05
 			65,50	 Pistone	 MOTORE AGRICOLO - ENGINE Made in Germany Motore STA.MO. a 2 Tempi / 2 Strokes Engine 9,0Hp Mix 4% Cilindro in Ghisa / C. Iron Cylinder Raffreddamento ad Aria / Aircooled						
			66,00 66,50 67,00								

Codice Code	Modello Model	SACHS STAMO	Diametro Diameter m.m.	Compress + Bom. Testa Head Height	Lung. Lenght Tot.	Spinotto - Pin Diam x Lung/Lenght	Block Spin. Pin	Segm. Rings N° Q.ty	Altezza Segm. Rings Height	Block Grano Notch Rings	Prezzo netto completo , IVA esclusa Net Price
G0919	SACHS ST 281-282		71,00	37,0 B-5,0	79,0	18 x 60,0	A	3	2,50	GN	€ 72,95
 			71,50								
			72,00								
			72,50								
			73,00								
Pistone MOTORE AGRICOLO - ENGINE Made in Germany Motore STA.MO. a 2 Tempi / 2 Strokes Engine 11,0Hp Mix 4% Cilindro in Ghisa / C. Iron Cylinder Raffreddamento ad Aria / Aircooled											

Codice Code	Modello Model	solo	Diametro Diameter m.m.	Compress + Bom. Testa Head Height	Lung. Lenght Tot.	Spinotto - Pin Diam. x Lung/Lenght	Block Spin. Pin	Segm. Rings N° Q.ty	Altezza Segm. Rings Height	Block Grano Notch Rings	Prezzo netto completo , IVA esclusa Net Price
G0973	SOLO 80 Agricolo 2Hp		48,00	25,0 B-4,0	47,0	12 x 40,0	A	2	2,00	GN	€ 35,50
 			47,95 A								
			47,96 B								
			47,97 C								
Pistone MOTORE AGRICOLO - ENGINE Made in Germany Motore a 2 Tempi / Strokes Engine 2,0Hp Mix 5% Cilindro Alluminio Cromo / Aluminium Chrome Cylinder - Raffreddamento ad Aria / Aircooled											

Codice Code	Modello Model	solo	Diametro Diameter m.m.	Compress + Bom. Testa Head Height	Lung. Lenght Tot.	Spinotto - Pin Diam x Lung/Lenght	Block Spin. Pin	Segm. Rings N° Q.ty	Altezza Segm. Rings Height	Block Grano Notch Rings	Prezzo netto completo , IVA esclusa Net Price
G0928	SOLO 125 Agricolo 5Hp		54,00	30,0 B-4,0	64,0	14 x 45,0	A	2	2,50	GN	€ 42,00
 			53,95 A								
			53,96 B								
			53,97 C								
			53,98 D								
			53,99 E								
Cil.Ghisa C.Iron Cyl.			54,40	Pistone							
			54,80	MOTORE AGRICOLO - ENGINE Made in Germany Motore a 2 Tempi / Strokes Engine 5,0Hp Mix 5% Cilindro Alluminio Cromo / Aluminium Chrome Cylinder - Raffreddamento ad Aria / Aircooled Cilindro in Ghisa / C. Iron Cylinder - Raffreddamento ad Aria / Aircooled							

Codice Code	Modello Model		Diametro Diameter m.m.	Compress + Bom. Testa Head Height	Lung. Lenght Tot.	Spinotto - Pin Diam x Lung/Lenght	Block Spin. Pin	Segm. Rings N° Q.ty	Altezza Segm. Rings Height	Block Grano Notch Rings	Prezzo netto completo , IVA esclusa Net Price
G0818	VOLPI-BOTTOLI VI.BI. Master		40,00	20,0 B-2,0	44,5	10 x 33,0	A	2	1,50	GN	€ 30,95
 			40,40								
			40,80								
			41,00								
Pistone MOTORE AGRICOLO - ENGINE Made in Italy Motore 2 Tempi / 2 Strokes Engine 2Hp Mix 5% Adattabile / Suitable V&B Master Hidro-Motopompa Cilindro in Ghisa / C. Iron Cylinder - Raffreddamento ad Aria Forzata / Forced Aircooled											

Codice Code	Modello Model		Diametro Diameter m.m.	Compress + Bom. Testa Head Height	Lung. Lenght Tot.	Spinotto - Pin Diam. x Lung/Lenght	Block Spin. Pin	Segm. Rings N° Q.ty	Altezza Segm. Rings Height	Block Grano Notch Rings	Prezzo netto completo , IVA esclusa Net Price
G0745	VOLPI-BOTTOLI VI.BI. Erc. 11		46,00	31,0 B-4,0	58,0	11 x 38,0	A	2	2,50	GN	€ 39,95
			46,40 46,50 46,80 47,00 47,40 47,80								
				Pistone							
				MOTORE AGRICOLO - ENGINE Made in Italy Motore a 2 Tempi / 2 Strokes Engine 84cc 3,5Hp Mix 5% Adattabile / Suitable V&B Ercolino - Spin./Pin11 Cilindro in Ghisa / C. Iron Cylinder Raffreddamento ad Aria Forzata / Forced Aircooled							

Codice Code	Modello Model		Diametro Diameter m.m.	Compress + Bom. Testa Head Height	Lung. Lenght Tot.	Spinotto - Pin Diam x Lung/Lenght	Block Spin. Pin	Segm. Rings N° Q.ty	Altezza Segm. Rings Height	Block Grano Notch Rings	Prezzo netto completo , IVA esclusa Net Price
G0745B	VOLPI-BOTTOLI VI.BI. Erc. 12		46,00	31,0 B-4,0	58,0	12 x 38,0	A	2	2,50	GN	€ 39,95
			46,50 46,80 47,00 47,40								
				Pistone							
				MOTORE AGRICOLO - ENGINE Made in Italy Motore a 2 Tempi / 2 Strokes Engine 84cc 3,5Hp Mix 5% Adattabile / Suitable V&B Ercolino - Spin./Pin12 Cilindro in Ghisa / C. Iron Cylinder Raffreddamento ad Aria Forzata / Forced Aircooled							

Codice Code	Modello Model		Diametro Diameter m.m.	Compress + Bom. Testa Head Height	Lung. Lenght Tot.	Spinotto - Pin Diam x Lung/Lenght	Block Spin. Pin	Segm. Rings N° Q.ty	Altezza Segm. Rings Height	Block Grano Notch Rings	Prezzo netto completo , IVA esclusa Net Price
G0745C	VOLPI-BOTTOLI VI.BI. Atom.		46,00	31,0 B-4,0	58,0	12 x 38,0	A	2	2,50	GN	€ 39,95
			46,50								
				Pistone							
				MOTORE AGRICOLO - ENGINE Made in Italy Motore a 2 Tempi / 2 Strokes Engine 84cc 3,5Hp Mix 5% Adattabile / Suitable V&B SuperJolly Atomizzatore Cilindro in Ghisa / C. Iron Cylinder Raffreddamento ad Aria Forzata / Forced Aircooled							

Codice Code	Modello Model		Diametro Diameter m.m.	Compress + Bom. Testa Head Height	Lung. Lenght Tot.	Spinotto - Pin Diam x Lung/Lenght	Block Spin. Pin	Segm. Rings N° Q.ty	Altezza Segm. Rings Height	Block Grano Notch Rings	Prezzo netto completo , IVA esclusa Net Price
G0047	ZANETTI D46 - DUCATI Salice		40,00	17,0 B-2,0	42,0	9 x 33,0	A	2	1,50	GN	€ 31,95
			39,95 A 39,96 B 39,97 C 39,98 D								
				Pistone							
				MOTORE AGRICOLO / ENGINE Made in Italy Motore a 2 Tempi / 2 Strokes Engine 2Hp Mix 4% Adattabile Motopompa / Suitable Hidropump - DUCATI Salice Cilindro Alluminio Cromo / Aluminium Chrome Cylinder Raffreddamento ad Aria forzata / Forced Aircooled							

Codice Code	Modello Model	ZANETTI [®] MOTORI	Diametro Diameter m.m.	Compress + Bom. Testa Head Height	Lung. Lenght Tot.	Spinotto - Pin Diam. x Lung/Lenght	Block Spin. Pin	Segm. Rings N° Q.ty	Altezza Segm. Rings Height	Block Grano Notch Rings	Prezzo netto completo , IVA esclusa Net Price
G0767B	ZANETTI D90		52,00	30,0 B-5,0	64,0	15 x 45,0	S	2	2,00	GN	€ 39,95
 					Pistone MOTORE AGRICOLO - ENGINE Made in Italy Motore a 2 Tempi / 2 Strokes Engine - 6,5Hp Mix 5% Adattabile / Suitable D90 - Hidropump Cilindro Alluminio Cromo / Aluminium Chrome Cylinder Raffreddamento ad Aria Forzata / Forced Aircooled						

Codice Code	Modello Model	ZANETTI [®] MOTORI	Diametro Diameter m.m.	Compress + Bom. Testa Head Height	Lung. Lenght Tot.	Spinotto - Pin Diam x Lung/Lenght	Block Spin. Pin	Segm. Rings N° Q.ty	Altezza Segm. Rings Height	Block Grano Notch Rings	Prezzo netto completo , IVA esclusa Net Price
G0767C	ZANETTI D90 Mod.Corto		52,00	30,0 B-5,0	56,0	15 x 45,0	S	2	2,00	GN	€ 39,95
 					Pistone MOTORE AGRICOLO - ENGINE Made in Italy Motore a 2 Tempi / 2 Strokes Engine - 6,5Hp Mix 5% Adattabile / Suitable D90 - Hidropump Cilindro Alluminio Cromo / Aluminium Chrome Cylinder Raffreddamento ad Aria Forzata / Forced Aircooled						

Codice Code	Modello Model	ZANETTI [®] MOTORI	Diametro Diameter m.m.	Compress + Bom. Testa Head Height	Lung. Lenght Tot.	Spinotto - Pin Diam x Lung/Lenght	Block Spin. Pin	Segm. Rings N° Q.ty	Altezza Segm. Rings Height	Block Grano Notch Rings	Prezzo netto completo , IVA esclusa Net Price
G0748	ZANETTI D160		60,00	34,0 B-5,0	76,0	16 x 50,0	S	3	2,00	GN	€ 46,95
 					Pistone MOTORE AGRICOLO - ENGINE Made in Italy Motore a 2 Tempi / 2 Strokes Engine - 8,5Hp Mix 5% Cilindro Alluminio Cromo / Aluminium Chrome Cylinder Raffreddamento ad Aria Forzata / Forced Aircooled						



PISTONI GOL s.a.s.

di Colombo Marco & C.

P.I. - IT 01446780155

Via Clusone, 6 - 20135 MILANO - ITALY

Tel. 02 5455660 - 02 87128797

Fax 02 87128798

e-mail golitaly@pistonigol.com

web www.pistonigol.com